

Indexing 5 09/339,818

Crane 09/339,818

June 21, 2004

4/8

L7 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 2000:34909 HCAPLUS
 DOCUMENT NUMBER: 32:94914
 ENTRY DATE: Entered STN: 14 Jan 2000
 TITLE: Preparation of linear cyclodextrin copolymers
 INVENTOR(S): Gonzalez, Hector; Hwang, Suzie Sue
 Jean; Davis, Mark E.
 PATENT ASSIGNEE(S): California Institute of Technology, USA
 SOURCE: PCT Int. Appl., 84 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 INT. PATENT CLASSIF.:
 MAIN: C08B037-16
 SECONDARY: C08G081-00; C08G069-00; C08G069-40; C08G073-02;
 C08G073-06; C08G075-00; A61K047-40
 CLASSIFICATION: 44-6 (Industrial Carbohydrates)
 Section cross-reference(s): 63
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000001734	A1	20000113	WO 1999-US14298	19990625
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6509323	B1	20030121	US 1998-203556	19981202
CA 2336390	AA	20000113	CA 1999-2336390	19990625
AU 9948305	A1	20000124	AU 1999-48305	19990625
AU 763114	B2	20030710		
EP 1093469	A1	20010425	EP 1999-931889	19990625
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
BR 9911754	A	20011106	BR 1999-11754	19990625
JP 2002519482	T2	20020702	JP 2000-558134	19990625
US 2002151523	A1	20021017	US 2002-97326	20020315
PRIORITY APPLN. INFO.:				
			US 1998-91550P	P 19980701
			US 1998-203556	A 19981202
			US 1999-339818	A3 19990625
			WO 1999-US14298	W 19990625

ABSTRACT:

Linear cyclodextrin copolymers containing an unoxidized and/or an oxidized cyclodextrin moiety integrated into the polymer backbone, useful as drug delivery vehicles, were prepared. For example, substitution reaction of 6A,6D-diiodo-6A,6D-deoxy- β -cyclodextrin (2-step preparation by a known procedure given) with NaSCH₂CH₂NH₂ gave 79% 6A,6D-bis(2-aminoethylthio)-6A6D-deoxy- β -cyclodextrin. This was stirred for 18 h at 80° in DMF under N with an equiv of MeOC(:NH)(CH₂)₆C(:NH)OMe-2HCl in the presence of Et₃N

to give 18% of a title copolymer (CD copolymer). Media containing doxorubicin and CD copolymer-doxorubicin complex (general complexation procedure given) were applied to cultured cell lines to show no toxicity to KB or KB-VI cell lines in the absence of doxorubicin.

SUPPL. TERM: cyclodextrin linear copolymer prepn drug delivery;
 iododeoxycyclodextrin prepn substitution
 aminoethylthiocyclodextrin; aminoethylthiocyclodextrin prepn
 polymn dimethylsuberimide; doxorubicin complex
 aminoethylthiocyclodextrin dimethylsuberimide copolymer
 cell toxicity

INDEX TERM: Drug delivery systems
 (preparation of linear cyclodextrin copolymers as)

INDEX TERM: 51178-68-8
 ROLE: RCT (Reactant); RACT (Reactant or reagent)
 (acid chlorination; preparation of linear cyclodextrin
 copolymers as drug delivery agents)

INDEX TERM: 91190-86-2P
 ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and conversion to diodo derivative; preparation
 of linear
 cyclodextrin copolymers as drug delivery agents)

INDEX TERM: ~~35625-91-3P~~
 ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and copolymn. with diaminocyclodextrin;
 preparation of
 linear cyclodextrin copolymers as drug delivery agents)

INDEX TERM: 101652-40-8P 254912-03-3P
 ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and copolymn.; preparation of linear cyclodextrin
 copolymers as drug delivery agents)

INDEX TERM: 98126-99-9P
 ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and redn to diamine; preparation of linear
 cyclodextrin copolymers as drug delivery agents)

INDEX TERM: 76700-72-6P
 ROLE: RCT (Reactant); SPN (Synthetic preparation); PREP
 (Preparation); RACT (Reactant or reagent)
 (preparation and substitution with sodium azide; preparation
 of
 linear cyclodextrin copolymers as drug delivery agents)

INDEX TERM: 23214-92-8DP, Doxorubicin, complexes with cyclodextrin
 copolymers
 ROLE: BSU (Biological study, unclassified); PNU
 (Preparation, unclassified); BIOL (Biological study); PREP
 (Preparation)
 (preparation of linear cyclodextrin copolymers as drug
 delivery agents)

INDEX TERM: 254912-04-4P 254912-05-5DP, oxidized 254912-05-5P
 254912-07-7P 254912-08-8P 254912-09-9P 254912-10-2P
 254912-11-3P
 ROLE: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of linear cyclodextrin copolymers as drug

delivery agents)
INDEX TERM: 7585-39-9, β -Cyclodextrin
ROLE: RCT (Reactant); RACT (Reactant or reagent)
(reaction with biphenyldisulfonyl dichloride; preparation of
linear cyclodextrin copolymers as drug delivery agents)
INDEX TERM: 3406-84-6, Biphenyl-4,4'-disulfonyl chloride
ROLE: RCT (Reactant); RACT (Reactant or reagent)
(reaction with β -cyclodextrin; preparation of linear
cyclodextrin copolymers as drug delivery agents)
INDEX TERM: 51974-68-6, Sodium 2-aminoethylthiolate
ROLE: RCT (Reactant); RACT (Reactant or reagent)
(thioetherification of diiodocyclodextrin; preparation of
linear cyclodextrin copolymers as drug delivery agents)
REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS
RECORD.
REFERENCE(S): (1) Showa Denko Kk; JP 04106101 A 1992 HCAPLUS
(2) Toppan Printing Co Ltd; EP 0502194 A 1992 HCAPLUS

L8 ANSWER 1 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
RN 254912-11-3 REGISTRY
CN β -Cyclodextrin, 6A,6D-bis-S-(2-aminoethyl)-6A,6D-dithio-, polymer
with dimethyl octanediimide dihydrochloride (9CI) (CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Octanediimide acid, dimethyl ester, dihydrochloride, polymer with
6A,6D-bis-S-(2-aminoethyl)-6A,6D-dithio- β -cyclodextrin (9CI)
FS STEREOSEARCH
MF (C46 H80 N2 O33 S2 . C10 H20 N2 O2 . 2 Cl H)x
CI PMS
PCT Polyazomethine, Polyazomethine formed, Polythioether
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Journal; Patent
RL.P Roles from patents: PREP (Preparation)
RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation);
PROC (Process); PRP (Properties); USES (Uses)
RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological
study); PREP (Preparation); USES (Uses)


CM 1

CRN 101652-40-8


CMF C46 H80 N2 O33 S2

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



CM 2

CRN 34490-86-3 (29878-26-0)

CMF C10 H20 N2 O2 . 2 Cl H



● 2 HCl

6 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

6 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 2 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 254912-10-2 REGISTRY

CN β -Cyclodextrin, 6A,6D-bis-S-(2-aminoethyl)-6A,6D-dithio-, polymer with dimethyl 3,3'-dithiobis[propanimidate] dihydrochloride (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Propanimidic acid, 3,3'-dithiobis-, dimethyl ester, dihydrochloride, polymer with 6A,6D-bis-S-(2-aminoethyl)-6A,6D-dithio- β -cyclodextrin (9CI)

FS STEREOSEARCH

MF (C46 H80 N2 O33 S2 . C8 H16 N2 O2 S2 . 2 Cl H)x

CI PMS

PCT Polyazomethine, Polyazomethine formed, Polysulfide, Polythioether

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA Caplus document type: Journal; Patent

RL.P Roles from patents: PREP (Preparation)

RL.NP Roles from non-patents: BIOL (Biological study); PREP (Preparation); USES (Uses)


CM 1

CRN 101652-40-8


CMF C46 H80 N2 O33 S2

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



CM 2

CRN 38285-78-8 (59012-54-3)

CMF C8 H16 N2 O2 S2 . 2 Cl H



● 2 HCl

2 REFERENCES IN FILE CA (1907 TO DATE)


2 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 3 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 254912-09-9 REGISTRY
 CN β -Cyclodextrin, 6A,6D-diamino-6A,6D-dideoxy-, carbonate (1:2),
 polymer with α -(2-chloro-2-oxoethyl)- ω -(2-chloro-2-
 oxoethoxy)poly(oxy-1,2-ethanediyl) (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN Poly(oxy-1,2-ethanediyl), α -(2-chloro-2-oxoethyl)- ω -(2-chloro-
 2-oxoethoxy)-, polymer with 6A,6D-diamino-6A,6D-dideoxy- β -
 cyclodextrin carbonate (1:2) (9CI)
 FS STEREOSEARCH
 DR 275354-48-8
 MF (C42 H72 N2 O33 . (C2 H4 O)n C4 H4 Cl2 O3 . 2 C H2 O3)x
 CI PMS
 PCT Polyamide, Polyamide formed, Polycarbonate, Polycarbonate formed,
 Polyester, Polyester formed, Polyether, Polyurea, Polyurea formed
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
 DT.CA Caplus document type: Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT
 (Reactant or reagent); USES (Uses)

CM 1

CRN 35625-91-3
 CMF (C2 H4 O)n C4 H4 Cl2 O3
 CCI PMS



CM 2


CRN 254912-03-3
 CMF C42 H72 N2 O33 . 2 C H2 O3

CM 3


CRN 162825-08-3
 CMF C42 H72 N2 O33

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



CM 4

CRN 463-79-6

CMF C H2 O3



3 REFERENCES IN FILE CA (1907 TO DATE)

3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 4 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 254912-08-8 REGISTRY

CN β -Cyclodextrin, 6A,6D-diazo-6A,6D-dideoxy-, polymer with
2,2'-dithiobis[ethanamine] dihydrochloride (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Ethanamine, 2,2'-dithiobis-, dihydrochloride, polymer with


6A,6D-diazido-6A,6D-dideoxy- β -cyclodextrin (9CI)
FS STEREOSEARCH
MF (C42 H68 N6 O33 . C4 H12 N2 S2 . 2 Cl H)x
CI PMS
PCT Polyother
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation)

CM 1

CRN 98126-99-9
CMF C42 H68 N6 O33

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



CM 2

CRN 56-17-7 (51-85-4)

CMF C4 H12 N2 S2 . 2 Cl H




●2 HCl

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 5 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
RN 254912-07-7 REGISTRY
CN β-Cyclodextrin, 6A,6D-diamino-6A,6D-dideoxy-, carbonate (1:2),
polymer with dimethyl 3,3'-dithiobis[propanimidate] dihydrochloride (9CI)
(CA INDEX NAME)
OTHER CA INDEX NAMES:
CN Propanimidic acid, 3,3'-dithiobis-, dimethyl ester, dihydrochloride,
polymer with 6A,6D-diamino-6A,6D-dideoxy-β-cyclodextrin carbonate
(1:2) (9CI)
FS STEREOSEARCH
MF (C42 H72 N2 O33 . C8 H16 N2 O2 S2 . 2 C H2 O3 . 2 Cl H)x
CI PMS
PCT Polyazomethine, Polyazomethine formed, Polycarbonate, Polycarbonate
formed, Polysulfide, Polyurea, Polyurea formed
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT
(Reactant or reagent); USES (Uses)

CM 1

CRN 38285-78-8 (59012-54-3)
CMF C8 H16 N2 O2 S2 . 2 Cl H



●2 HCl

CM 2

CRN 254912-03-3
CMF C42 H72 N2 O33 . 2 C H2 O3


CM 3

CRN 162825-08-3


CMF C42 H72 N2 O33

Absolute stereochemistry..

PAGE 1-A




PAGE 2-A



CM 4

CRN 463-79-6

CMF C H2 O3



3 REFERENCES IN FILE CA (1907 TO DATE)
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 6 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 254912-05-5 REGISTRY

CN β -Cyclodextrin, 6A,6D-diamino-6A,6D-dideoxy-, carbonate (1:2), polymer with 1,1'-[(1,8-dioxo-1,8-octanediyl)bis(oxy)]bis[2,5-pyrrolidinedione] (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 2,5-Pyrrolidinedione, 1,1'-[(1,8-dioxo-1,8-octanediyl)bis(oxy)]bis-, polymer with 6A,6D-diamino-6A,6D-dideoxy- β -cyclodextrin carbonate (1:2) (9CI)

FS STEREOSEARCH

MF (C42 H72 N2 O33 . C16 H20 N2 O8 . 2 C H2 O3)x

CI PMS

PCT Polyamide, Polyamide formed, Polycarbonate, Polycarbonate formed, Polyurea, Polyurea formed

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


DT.CA Caplus document type: Patent

RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

RLD.P Roles for non-specific derivatives from patents: PREP (Preparation); RACT (Reactant or reagent)

CM 1

CRN 68528-80-3
CMF C16 H20 N2 O8



CM 2


CRN 254912-03-3
CMF C42 H72 N2 O33 . 2 C H2 O3

CM 3


CRN 162825-08-3
CMF C42 H72 N2 O33

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



CM 4

CRN 463-79-6

CMF C H2 O3



3 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 7 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 254912-04-4 REGISTRY
 CN β -Cyclodextrin, 6A,6D-diamino-6A,6D-dideoxy-, carbonate (1:2),
 polymer with 1,1'-[dithiobis[(1-oxo-3,1-propanediyl)oxy]]bis[2,5-
 pyrrolidinedione] (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN 2,5-Pyrrolidinedione, 1,1'-[dithiobis[(1-oxo-3,1-propanediyl)oxy]]bis-,
polymer with 6A,6D-diamino-6A,6D-dideoxy- β -cyclodextrin carbonate
(1:2) (9CI)
FS STEREOSEARCH
MF (C42 H72 N2 O33 . C14 H16 N2 O8 S2 . 2 C H2 O3)x
CI PMS
PCT Polyamide, Polyamide formed, Polycarbonate, Polycarbonate formed,
Polysulfide, Polyurea, Polyurea formed
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)

CM 1

CRN 57757-57-0

CMF C14 H16 N2 O8 S2



CM 2

CRN 254912-03-3

CMF C42 H72 N2 O33 . 2 C H2 O3


CM 3

CRN 162825-08-3


CMF C42 H72 N2 O33

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



CM 4

CRN 463-79-6

CMF C H2 O3



3 REFERENCES IN FILE CA (1907 TO DATE)
 3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 8 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 254912-03-3 REGISTRY

CN β -Cyclodextrin, 6A,6D-diamino-6A,6D-dideoxy-, carbonate (1:2) (9CI)
 (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Carbonic acid, compd. with 6A,6D-diamino-6A,6D-dideoxy- β -cyclodextrin


(2:1) (9CI)
FS STEREOSEARCH
MF C42 H72 N2 O33 . 2 C H2 O3
CI COM
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL
DT.CA Caplus document type: Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)

CM 1


CRN 162825-08-3
CMF C42 H72 N2 O33

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



CM 2

CRN 463-79-6
CMF C H2 O3




3 REFERENCES IN FILE CA (1907 TO DATE)
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L8 ANSWER 9 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
RN 101652-40-8 REGISTRY
CN β -Cyclodextrin, 6A,6D-bis-S-(2-aminoethyl)-6A,6D-dithio- (9CI) (CA
INDEX NAME)
OTHER CA INDEX NAMES:
CN 2,4,7,9,12,14,17,19,22,24,27,29,32,34-Tetradecaaxaocyclo[31.2.2.23,6.28
,11.213,16.218,21.223,26.228,31]nonatetracontane, β -cyclodextrin
deriv.
FS STEREOSEARCH
MF C46 H80 N2 O33 S2
CI COM
SR CA
LC STN Files: BEILSTEIN*, CA, CAPLUS, TOXCENTER, USPATFULL
(*File contains numerically searchable property data)
DT.CA CAplus document type: Journal; Patent
RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)
RLD.P Roles for non-specific derivatives from patents: BIOL (Biological
study); PREP (Preparation); USES (Uses)
RL.NP Roles from non-patents: PREP (Preparation); RACT (Reactant or reagent);
USES (Uses)
RLD.NP Roles for non-specific derivatives from non-patents: BIOL (Biological
study); PREP (Preparation); PRP (Properties); RACT (Reactant or
reagent); USES (Uses)

Absolute stereochemistry.

PAGE 1-A



PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

9 REFERENCES IN FILE CA (1907 TO DATE)
 2 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 9 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 10 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 98126-99-9 REGISTRY

CN β -Cyclodextrin, 6A,6D-diazo-6A,6D-dideoxy- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 2,4,7,9,12,14,17,19,22,24,27,29,32,34-Tetradecaaxaoctacyclo[31.2.2.23,6.28,11.213,16.218,21.223,26.228,31]nonatetracontane, β -cyclodextrin deriv.

OTHER NAMES:

CN 6A,6D-Diazo-6A,6D-dideoxy- β -cyclodextrin

FS STEREOSEARCH

MF C42 H68 N6 O33


CI COM

SR CA


LC STN Files: BELLSTEIN*, CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL
 (*File contains numerically searchable property data)
 DT.CA Caplus document type: Journal; Patent
 RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)
 RL.NP Roles from non-patents: PREP (Preparation); RACT (Reactant or reagent)

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



9 REFERENCES IN FILE CA (1907 TO DATE)
 9 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 11 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 91190-86-2 REGISTRY
 CN β -Cyclodextrin, cyclic 6A,6C-[1,1'-biphenyl]-4,4'-disulfonate (9CI)
 (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN 47H-22,26-Epoxy-25,42-(epoxy[2,5]-endo-pyranoxy)-2,5:7,10:12,15:17,20-tetraethano-30,33:34,37-diethenopyrano[2,3-n][1,12,16,18,21,23,26,28,31,33,36,2,11]undecaaxadithiacyclodotetracontin, β -cyclodextrin deriv.
 MF C54 H76 O39 S2
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

DT.CA CAplus document type: Journal; Patent
 RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)
 RL.NP Roles from non-patents: PREP (Preparation); PRP (Properties)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

4 REFERENCES IN FILE CA (1907 TO DATE)
 4 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L8 ANSWER 12 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 76700-72-6 REGISTRY
 CN β-Cyclodextrin, 6A,6D-dideoxy-6A,6D-diiodo- (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN 2,4,7,9,12,14,17,19,22,24,27,29,32,34-Tetradecaaxaoctacyclo[31.2.2.23,6.28,11.213,16.218,24.223,26.228,31]nonatetracontane, β-cyclodextrin deriv.
 FS STEREOSEARCH
 MF C42 H68 I2 O33
 LC STN Files: BEILSTEIN*, CA, CAPLUS, CASREACT, TOXCENTER, USPATFULL
 (*File contains numerically searchable property data)
 DT.CA CAplus document type: Journal; Patent
 RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent)
 RL.NP Roles from non-patents: PREP (Preparation); RACT (Reactant or reagent);
 USES (Uses)

Absolute stereochemistry.

PAGE 1-A




PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

24 REFERENCES IN FILE CA (1907 TO DATE)
24 REFERENCES IN FILE CAPLUS (1907 TO DATE)


L8 ANSWER 13 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
RN 51974-68-6 REGISTRY
CN Ethanethiol, 2-amino-, monosodium salt (9CI) (CA INDEX NAME)
OTHER NAMES:
CN Sodium 2-aminoethylmercaptide
CN Sodium 2-aminoethylthiolate
MF C2 H7 N S . Na
LC STN Files: BEILSTEIN*, CA, CAPLUS, CASREACT, IFICDB, IFIPAT, IFIUDB, TOXCENTER, USPATFULL
(*File contains numerically searchable property data)
DT.CA Caplus document type: Journal; Patent
RL.P Roles from patents: RACT (Reactant or reagent); USES (Uses)
RLD.P Roles for non-specific derivatives from patents: PREP (Preparation)
RL.NP Roles from non-patents: FORM (Formation, nonpreparative); PRP (Properties); RACT (Reactant or reagent)
CRN (60-23-1)



● Na


11 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 11 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 14 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 51178-68-8 REGISTRY
 CN Poly(oxy-1,2-ethanediyl), α -(2-carboxyethyl)- ω -(2-carboxyethoxy)- (9CI) (CA INDEX NAME)
 DR 173323-15-4
 MF (C2 H4 O)_n C6 H10 O5
 CI PMS, COM
 PCT Polyether
 LC STN Files: CA, CAPLUS, TOXCENTER, USPAT2, USPATFULL
 DT.CA Caplus document type: Journal; Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 RLD.P Roles for non-specific derivatives from patents: PREP (Preparation); USES (Uses)
 RL.NP Roles from non-patents: RACT (Reactant or reagent); USES (Uses)



13 REFERENCES IN FILE CA (1907 TO DATE)
 1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 13 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 15 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 35625-91-3 REGISTRY
 CN Poly(oxy-1,2-ethanediyl), α -(2-chloro-2-oxoethyl)- ω -(2-chloro-2-oxoethoxy)- (9CI) (CA INDEX NAME)
 OTHER NAMES:
 CN Polyethylene glycol bis(chloroformylmethyl) ether
 DR 275354-47-7
 MF (C2 H4 O)_n C4 H4 Cl2 O3
 CI PMS, COM
 PCT Polyether
 LC STN Files: CA, CAPLUS, CASREACT, IFICDB, IFIPAT, IFIUDB, TOXCENTER, USPAT2, USPATFULL
 DT.CA Caplus document type: Journal; Patent
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)
 RLD.P Roles for non-specific derivatives from patents: BIOL (Biological study)
 RL.NP Roles from non-patents: PREP (Preparation); RACT (Reactant or reagent)



13 REFERENCES IN FILE CA (1907 TO DATE)

1 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

14 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 16 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 23214-92-8 REGISTRY

CN 5,12-Naphthacenedione, 10-[(3-amino-2,3,6-trideoxy- α -L-lyxo-hexopyranosyl)oxy]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-8-(hydroxyacetyl)-1-methoxy-, (8S,10S)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 5,12-Naphthacenedione, 10-[(3-amino-2,3,6-trideoxy- α -L-lyxo-hexopyranosyl)oxy]-7,8,9,10-tetrahydro-6,8,11-trihydroxy-8-(hydroxyacetyl)-1-methoxy-, (8S-cis)-

OTHER NAMES:

CN 14-Hydroxydaunomycin

CN Caelyx

CN Doxil

CN Doxorubicin

CN NSC 123127

FS STEREOSEARCH

DR 24385-08-8, 25311-50-6, 23257-17-2, 29042-30-6

MF C27 H29 N O11

CI COM

LC STN Files: ADISINSIGHT, ADISNEWS, AGRICOLA, ANABSTR, AQUIRE, BEILSTEIN*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CABA, CANCERLIT, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS, CHEMLIST, CIN, CSCHEM, CSNB, DDFU, DIOGENES, DRUGU, EMBASE, HSDB*, IFICDB, IFIPAT, IFIUDB, IMSCOSEARCH, IMSDRUGNEWS, IMSPATENTS, IMSRESEARCH, IPA, MEDLINE, MRCK*, MSDS-OHS, NAPRALERT, NIOSHTIC, PHAR, PROMT, PROUSDDR, PS, RTECS*, TOXCENTER, USAN, USPAT2, USPATFULL, VETU

(*File contains numerically searchable property data)

Other Sources: DSL**, EINECS**, WHO

(**Enter CHEMLIST File for up-to-date regulatory information)

DT.CA Caplus document type: Book; Conference; Dissertation; Journal; Patent; Report


RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

RLD.P Roles for non-specific derivatives from patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); FORM (Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical study); BIOL (Biological study); CMBI (Combinatorial study); FORM (Formation, nonpreparative); OCCU (Occurrence); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses)

Absolute stereochemistry.



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

13680 REFERENCES IN FILE CA (1907 TO DATE)

934 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

13718 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L8 ANSWER 17 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN

RN 7585-39-9 REGISTRY

CN β -Cyclodextrin (8CI, 9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 2,4,7,9,12,14,17,19,22,24,27,29,32,34-Tetradecaaxaocyclo[31.2.2.23,6.28,11.213,16.218,21.223,26.228,31]nonatetracontane, β -cyclodextrin deriv.

CN Cycloheptaamylose (7CI)

OTHER NAMES:

CN β -CycloamyloseCN β -CycloheptaamyloseCN β -Dextrin

CN Betadex

CN BW 7

CN BW 7 (polysaccharide)

CN Cavamax W 7

CN Celdex B 100

CN Celdex N

CN Cycloheptaglucan

CN Cycloheptaglucosan

CN Cyclomaltoheptaose

CN Dextrin, β -cyclo

CN Kleptose

CN Kleptose B

CN NSC 269471

CN NSC 314334

CN Rhodocap N

CN Ringdex B

CN Ringdex BL

CN Schardinger β -dextrin

CN Stereoisomer of 5,10,15,20,25,30,35-heptakis(hydroxymethyl)-

2,4,7,9,12,14,17,19,22,24,27,29,32,34-tetradecaaxaoctacyclo[31.2.2.23,6.28
,11.213,16.218,21.223,26.228,31]nonatetracontane-
36,37,38,39,40,41,42,43,44,45,46,47,48,49-tetradecol

FS STEREOSEARCH

DR 449728-55-6, 37331-89-8, 47918-72-9

MF C42 H70 O35

CI COM

LC STN Files: ADISNEWS, AGRICOLA, ANABSTR, BEILSTEIN*, BIOBUSINESS, BIOSIS,
BIOTECHNO, CA, CANCERLIT, CAOLD, CAPLUS, CASREACT, CBNB, CEN, CHEMCATS,
CHEMINFORMRX, CHEMLIST, CIN, CSCHEM, DDFU, DETHERM*, DRUGU, EMBASE,
GMELIN*, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, NAPRALERT, NIOSHTIC,
PIRA, PROMT, PS, RTECS*, TOXCENTER, USAN, USPAT2, USPATFULL, VETU, VTB
(*File contains numerically searchable property data)

Other Sources: DSL**, EINECS**, TSCA**, WHO

(**Enter CHEMLIST File for up-to-date regulatory information)

DT.CA Caplus document type: Conference; Dissertation; Journal; Patent;
Preprint; Report

RL.P Roles from patents: ANST (Analytical study); BIOL (Biological study);
CMBI (Combinatorial study); FORM (Formation, nonpreparative); MSC
(Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC (Process);
PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role
in record)


RLD.P Roles for non-specific derivatives from patents: ANST (Analytical
study); BIOL (Biological study); CMBI (Combinatorial study); FORM
(Formation, nonpreparative); PREP (Preparation); PROC (Process); PRP
(Properties); RACT (Reactant or reagent); USES (Uses)

RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological
study); CMBI (Combinatorial study); FORM (Formation, nonpreparative);
MSC (Miscellaneous); OCCU (Occurrence); PREP (Preparation); PROC
(Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses);
NORL (No role in record)


RLD.NP Roles for non-specific derivatives from non-patents: ANST (Analytical
study); BIOL (Biological study); CMBI (Combinatorial study); FORM
(Formation, nonpreparative); MSC (Miscellaneous); OCCU (Occurrence);
PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or
reagent); USES (Uses)

Absolute stereochemistry.

PAGE 1-A



PAGE 2-A



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

11496 REFERENCES IN FILE CA (1907 TO DATE)
 4389 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA
 11541 REFERENCES IN FILE CAPLUS (1907 TO DATE)
 1 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

L8 ANSWER 18 OF 18 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 3406-84-6 REGISTRY
 CN [1,1'-Biphenyl]-4,4'-disulfonyl dichloride (9CI) (CA INDEX NAME)
 OTHER CA INDEX NAMES:
 CN 4,4'-Biphenyldisulfonyl chloride (6CI, 7CI, 8CI)
 OTHER NAMES:
 CN 4,4'-Biphenylylenedisulfonyl chloride
 CN 4,4'-Bis(chlorosulfonyl)biphenyl
 CN NSC 2062
 FS 3D CONCORD
 MF C12 H8 Cl2 O4 S2
 CI COM
 LC STN Files: BEILSTEIN*, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS,

CHEMINFORMRX, CHEMLIST, CSChem, HODOC*, IFICDB, IFIPAT, IFIUDB,
MSDS-OHS, SPECINFO, TOXCENTER, USPAT2, USPATFULL

(*File contains numerically searchable property data)

Other Sources: EINECS**, NDSL**, TSCA**

(**Enter CHEMLIST File for up-to-date regulatory information)


DT.CA CAplus document type: Journal; Patent

RL.P Roles from patents: PREP (Preparation); RACT (Reactant or reagent);
USES (Uses); NORL (No role in record)

RLD.P Roles for non-specific derivatives from patents: PREP (Preparation);
USES (Uses)

RL.NP Roles from non-patents: FORM (Formation, nonpreparative); PREP
(Preparation); PROC (Process); PRP (Properties); RACT (Reactant or
reagent); USES (Uses); NORL (No role in record)

RLD.NP Roles for non-specific derivatives from non-patents: RACT (Reactant or
reagent)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

122 REFERENCES IN FILE CA (1907 TO DATE)

3 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

123 REFERENCES IN FILE CAPLUS (1907 TO DATE)

11 REFERENCES IN FILE CAOLD (PRIOR TO 1967)